Safety Data Sheet

Section 1 - Identification

Crash Solution

GOLDEN ARTIST COLORS, INC. 188 BELL ROAD NEW BERLIN, NY 13411

Phone: (607)847-6154 In US only: (800)959-6543

Prepared by: Regulatory Department

Product Use: First step in removing solids from paint water

Not recommended for: Use by children

Section 2 - Hazards Identification

GHS Ratings:

Corrosive to metals 1 Corrosive to metals

Skin corrosive 2 Reversible adverse effects in dermal tissue, Draize score: >= 2.3

< 4.0 or persistent inflammation

Eye corrosive 2A Eye irritant: Subcategory 2A, Reversible in 21 days

GHS Hazards

H290 May be corrosive to metals H315 Causes skin irritation

H319 Causes serious eye irritation

GHS Precautions

P234 Keep only in original container

P264 Wash hands with soap and water thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P321 Specific treatment, see Section 4

P362 Take off contaminated clothing and wash before reuse

P390 Absorb spillage to prevent material damage P302+P352 IF ON SKIN: Wash with soap and water

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if

present and easy to do - continue rinsing

P332+P313 If skin irritation occurs: Get medical advice/attention P337+P313 If eye irritation persists, get medical advice/attention

P406 Store in a corrosive resistant/... container with a resistant inner liner

Signal Word: Warning





SDS for: Crash Solution Page 1 of 5

Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
ALUMINUM SULFATE	10043-01-3	40.00% - 50.00%

Section 4 - First Aid

Inhalation: Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

Eye: Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

Skin: Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

Ingestion: If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

Section 5 - Fire Fighting

Flash Point: N/A

LEL: N/A UEL: N/A

Extinguishing Media: Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this may spread the fire.

Unusual Fire and Explosion Hazards: Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

Hazardous Byproducts: Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

Fire Fighting Procedures: Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

Special Precautions: Wear self-contained breathing apparatus and full protective gear.

Section 6 - Release

Personal precautions, protective equipment and emergency procedures: Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

Environmental precautions: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

Methods and materials for containment and clean-up: Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

Section 7 - Handling

Precautions and safe handling: Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

Conditions for safe storage: Store in a cool, well-ventilated place. Keep out of the reach of children.

SDS for: Crash Solution Page 2 of 5

Printed: 2/13/2020 at 12:36:23PM

Section 8 - Exposure Control Chemical Name / CAS No. OSHA Exposure Limits ACGIH Exposure Limits Other Exposure Limits

ALUMINUM SULFATE Not Established Not Established NIC 10043-01-3	OSH TWA 2 mg/m3

Engineering Controls: Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

General Hygiene Considerations: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

Personal Protective Equipment: None required under normal use. For techniques requiring continual hand exposure, gloves are recommended. Safety glasses or goggles recommended when there is a risk of eye exposure.

Section 9 - Properties

Properties listed are typical and not to be used as a specification.

Appearance: Liquid

Vapor Pressure: Not available

Vapor Density: Not available

Density: 1.34

Freezing point: Not available

Boiling range: Not available

Evaporation rate: Not available

Explosive Limits: Not available

Auto ignition temperature: Not available

Viscosity: Not available

Odor: Odorless

Odor threshold: Not available

pH: >2

Melting point: Not applicable

Solubility: Soluble

Flash point: Not applicable

Flammability: Not applicable

Partition coefficient Not available

(n-octanol/water):

Decomposition temperature: Not available

Section 10 - Reactivity

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

Section 11 - Toxicology

Mixture Toxicity
Component Toxicity

10043-01-3 ALUMINUM SULFATE

Oral LD50: 5,000 mg/kg (RAT)

Possible routes of entry or exposure:

SDS for: Crash Solution Page 3 of 5
Printed: 2/13/2020 at 12:36:23PM

Not Applicable

Possible target organs of exposure to this mixture:

Not Applicable

Effects of Overexposure

Carcinogenicity: This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

CAS Number

Description

% Weight

Carcinogen Rating

None

Not Applicable

Section 12 - Ecological Toxicity

Ecotoxicity: This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

Component Ecotoxicity

ALUMINUM SULFATE

LC50 Water Flea 38.2 mg/l 48h

Section 13 - Disposal

Disposal Instructions: Dispose as per local regulations. It is best to use all material, rather than dispose of it.

Section 14 - Transport

Agency Proper Shipping Name

UN Number

Packing

Hazard Class

DOT Not Regulated

Section 15 - Regulatory

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

Not Applicable

<u>Country</u>	<u>Regulation</u>	All Components Listed
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

SDS for: Crash Solution

Section 16 - Other Information

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2020-02-13 Reviewer Revision 1

Date Prepared: 2/13/2020

SDS for: Crash Solution Page 5 of 5